

PIN	1	2	3	4	5	6	7	8	9	10	11	12
COM1	COM1				1F	1A	2F	2A	3F	3A	4F	4A
COM2		COM2			1G	1B	2G	2B	3G	3B	4G	4B
COM3			COM3		1E	1C	2E	2C	3E	3C	4E	4C
COM4				COM4	P1	1D	P2	2D	P3	3D	P4	4D



大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO., LTD.

DESIGNED BY:

LML


GDC04212S(T)P10V3B

VERSION: 1.0

NO. 2 OF 4

CHECKED BY:

HQM




UNIT: mm


DATE: 2015-06-11

TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2

SEG



COM



大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO., LTD.

DESIGNED BY:

LML


GDC04212S(T)P10V3B

VERSION: 1.0

NO. 3 OF 4

CHECKED BY:


HQM



UNIT: mm

DATE: 2015-06-11

TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.2



大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO., LTD.

DESIGNED BY:

LML


GDC04212S(T)P10V3B

VERSION: 1.0

NO. 4 OF 4

CHECKED BY:

HQM



UNIT: mm

DATE: 2015-06-11

TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2

全显示效果图