





大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO., LTD.

确认此型号所有图纸;签字确认:

DESIGNED BY: WCZ	QYH5622S(T)P10V3B	VERSION: 2.0 NO. 1 OF 4	1. DISPLAY TYPE: HTN/POSITIVE	6. POLARIZER TYPE: TRANSFLECTIVE	VERSION	REVISION RECORD
CHECKED BY: HZH		UNIT: mm DATE: 2023-09-28	2. OPERATING VOLTAGE: 3.15V	7. VIEWING DIRECTION: 6:00	1.0	初版
TOLERANCES UNLESS OTHERWISE SPECIFIED:±0.2			3. DRIVE MODE: 1/4DUTY,1/3BIAS	8. CONNECTOR: PIN	2.0	改逻辑
			4. OPERATING TEMP: -40°C~80°C	9. CUSTOMER NO:	3.0	
			5. STORAGE TEMP: -45°C~85°C	10. LCM NO:	4.0	

PIN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
COM1	S17	7D	P5	8D	P6	9D	P7	10D	S18	2D	P1	3D	P2	4D	P3	5D	P4	6D	S13	S5	1F	1A	S4	S9				COM1
COM2	7E	7C	8E	8C	9E	9C	10E	10C	2E	2C	3E	3C	4E	4C	5E	5C	6E	6C	S12	S16	1G	1B	S3	S8			COM2	
COM3	7G	7B	8G	8B	9G	9B	10G	10B	2G	2B	3G	3B	4G	4B	5G	5B	6G	6B	S11	S15	1E	1C	S2	S7		COM3		
COM4	7F	7A	8F	8A	9F	9A	10F	10A	2F	2A	3F	3A	4F	4A	5F	5A	6F	6A	S14	S10	S19	1D	S1	S6	COM4			



大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO., LTD.

DESIGNED BY:

WCZ


QYH5622S(T)P10V3B

VERSION: 2.0

NO. 2 OF 4

CHECKED BY:

HZH




UNIT: mm


DATE: 2023-09-28

TOLERANCES UNLESS OTHERWISE SPECIFIED:±0.2

SEG




COM



大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO., LTD.

DESIGNED BY:	QYH5622S(T)P10V3B	VERSION: 2.0
WCZ		NO. 3 OF 4
CHECKED BY:	 	UNIT: mm
HZH		DATE: 2023-09-28

TOLERANCES UNLESS OTHERWISE SPECIFIED:±0.2



大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO., LTD.

DESIGNED BY:

WCZ


QYH5622S(T)P10V3B

VERSION: 2.0

NO. 4 OF 4

CHECKED BY:

HZH



UNIT: mm

DATE: 2023-09-28

TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2

全显示效果图