







VIEWING DIRECTION




大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO., LTD.

确认此型号所有图纸;签字确认:

DESIGNED BY: LJF	QYT19528D(T)P13V5B	VERSION: 1.0 NO. 1 OF 4	1. DISPLAY TYPE: TN/POSITIVE	6. POLARIZER TYPE: TRANSLFLECTIVE	VERSION	REVISION RECORD
CHECKED BY: TANG		UNIT: mm DATE: 2022-02-14	2. OPERATING VOLTAGE: 5.0V	7. VIEWING DIRECTION: 6:00	1.0	初版
TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.2			3. DRIVE MODE: 1/4DUTY, 1/3BIAS	8. CONNECTOR: PIN	2.0	
			4. OPERATING TEMP: $-20^{\circ}\text{C} \sim 70^{\circ}\text{C}$	9. CUSTOMER NO: 抄样	3.0	
			5. STORAGE TEMP: $-30^{\circ}\text{C} \sim 80^{\circ}\text{C}$	10. LCM NO:	4.0	

PIN	1	2	3	4	5	6	7	8	9	10	11	12	13
COM1	COM1	---	---	---	1A	1B	2A	2B	3A	3B	4A	4B	5A
COM2	---	COM2	---	---	1F	1G	2F	2G	3F	3G	4F	4G	5F
COM3	---	---	COM3	---	1E	1C	2E	2C	3E	3C	4E	4C	5E
COM4	---	---	---	COM4	1D	5C	2D	P1	3D	5G	4D	5B	5D



大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO., LTD.

DESIGNED BY:

LJF


QYT19528D(T)P13V5B

VERSION: 1.0

NO. 2 OF 4

CHECKED BY:

TANG




UNIT: mm


DATE: 2022-02-14

TOLERANCES UNLESS OTHERWISE SPECIFIED:±0.2

SEG



COM




只供走线参考



大连奇耘电子有限公司

DALIAN QIYUN DISPLAY CO., LTD.

DESIGNED BY:	QYT19528D(T)P13V5B	VERSION: 1.0
LJF		NO. 3 OF 4
CHECKED BY:	 	UNIT: mm
TANG		DATE: 2022-02-14
TOLERANCES UNLESS OTHERWISE SPECIFIED:±0.2		



大连奇耘电子有限公司
DALIAN QIYUN DISPLAY CO., LTD.

DESIGNED BY:

LJF


QYT19528D(T)P13V5B

VERSION: 1.0

NO. 4 OF 4

CHECKED BY:

TANG



UNIT: mm

DATE: 2022-02-14

TOLERANCES UNLESS OTHERWISE SPECIFIED:±0.2

显示效果图